Highbay Light Series

LONGLUX



LISTED

PREMIUM

IP66

LED Highbay Light

Features

- LED light source, low heat, good color rendering, uniform light emission.
- Smooth body with seamless design would greatly diminish dust and water accumulation, as well, makes cleaning work very easy.
- 3-Power Switchable: 3-SKU IN ONE, reduce your SKU stock, easy to make inventory reserve.
  Smart control: The are available with Normal Sensor, 2.4G Grouping Sensor, Bluetooth Mesh Sensor for wireless control.
- IP69K waterproof: Can withstand high-pressure and steam cleaning and provide the protection of water pressure at 100bar (1450 psi) /80°C, is used to sanitize equipment where high pressure and high temperature wash down, such as adopting in the brewhouse, car washed and Food & Beverage industries.

Product Description




Specification Sheet

Model	Power	CCT	LED bead	Beam Angle	Size
LLX-HB-F-60W	60W	6500K	200	60°/90°/120°	L335*W330*H125mm
LLX-HB-F-80W	80W	6500K	200	60°/90°/120°	L335*W330*H125mm
LLX-HB-F-100W	100W	6500K	200	60°/90°/120°	L335*W330*H125mm
LLX-HB-F-120W	120W	6500K	300	60°/90°/120°	L335*W330*H125mm
LLX-HB-F-150W	150W	6500K	300	60°/90°/120°	L335*W330*H125mm
LLX-HB-F-180W	180W	6500K	400	60°/90°/120°	L380*W375*H135mm
LLX-HB-F-200W	200W	6500K	400	60°/90°/120°	L380*W375*H135mm

PACKAGING DATA

1PCS/CTN



Model	Size	Weight
LLX-HB-F-60W	L335*W330*H125mm	1.7kg
LLX-HB-F-80W	L335*W330*H125mm	1.7kg
LLX-HB-F-100W	L335*W330*H125mm	1.7kg
LLX-HB-F-120W	L335*W330*H125mm	1.7kg
LLX-HB-F-150W	L335*W330*H125mm	1.7kg
LLX-HB-F-180W	L380*W375*H135mm	2.3kg
LLX-HB-F-200W	L380*W375*H135mm	2.3kg

Applications:

Food factories, breeding farms, shopping malls, indoor lighting, gyms, gas stations, supermarkets, warehouses, etc







AFTER-SALE SERVICE

LONGLUX warrants this LONGLUX-branded hardware product against defects in materials and workmanship under normal use for a period of FIVE(5) YEARS from the date of purchase.LONGLUX provides free repair or replacement within warranty period. LONGLUX shall charge against defeats byabnormal storage,usage,connect on or change the structure or any components of the product.

*Damage by thunder stroke over 4KV(L,N to FG)/4KV(L to N) will not covered by warranty based on IEC6100-4-5.

ADD:
Hangzhou Longlux Electronic Technology Co. Ltd
TEL:+8613656681084
E-mail: william@longlux.com
Http: www.longlux.com