Highbay Light Series

LONGLUX



UFO HIGHBAY LIGHT

Highbay Flameproof Light Fixture

Highbay Flameproof Light Fixture

LONGLUX

Features

- 5050 chips high brightness lamp bead, 210lm/w,higher brightness and lower power consumption.
- LED light source, low heat, good color rendering, uniform light emission
- Thickened lamp body, sufficient materials, good thermal conductivity, high temperature resistance, corrosion resistance, suitable for various harsh working environments
- High quality insulating wire, high strength, good flexibility, no fear of extreme weather, reduce the risk of electric shock
- Pure aluminum integrated molding, fast heat conduction, good heat dissipation ability
- Various configurations are available, supporting round power supply, ceiling bracket and power box
- Professional light distribution, lens with 30 °/60 °/90 °/120 ° and other multi-angle options

Product Description



Optional power supply

















Specification Sheet


Model No.	Power (W)	Voltage	LED chip	CCT (K)	Ra	Material	IP	Surge protection	P.F.	Luminous flux
LLX-HB-SL100	100	AC85-265V 50/60HZ	3030 1W 120pcs	3000-6500	>70	Aluminum+PC	IP66	4000V	>0.95	≥13000
LLX-HB-SL150	150	AC85-265V 50/60HZ	3030 1W 210pcs	3000-6500	>70	Aluminum+PC	IP66	4000V	>0.95	≥19500
LLX-HB-SL100	200	AC85-265V 50/60HZ	3030 1W 280pcs	3000-6500	>70	Aluminum+PC	IP66	4000V	>0.95	≥26000

Highbay Flameproof Light Fixture

LONGLUX

PACKAGING DATA

1PCS/CTN



Model No.	Power (W)	Net weight (KG)	Product size (MM)	Carton size (CM)
LLX-HB-SL100	100	1.8	Φ275*115	29.5*29.5*13.5
LLX-HB-SL150	150	2.3	Φ310*120	32*32*14
LLX-HB-SL100	200	3.2	Φ345*125	35.5*35.5*14.5

Applications:

Factory, Supermarket, Warehouse, Gym, Gymnasium,Public buildings,Shopping malls,Historic Areas etc.







AFTER-SALE SERVICE

LONGLUX warrants this LONGLUX-branded hardware product against defects in materials and workmanship under normal use for a period of FIVE(5) YEARS from the date of purchase.LONGLUX provides free repair or replacement within warranty period. LONGLUX shall charge against defeats byabnormal storage,usage,connect on or change the structure or any components of the product.

*Damage by thunder stroke over 4KV(L,N to FG)/4KV(L to N) will not covered by warranty based on IEC6100-4-5.

ADD:
Hangzhou Longlux Electronic Technology Co. Ltd
TEL:+8613656681084
E-mail: william@longlux.com
Http: www.longlux.com