LONGLUX



Features



- Material: Aluminum profile+milky white PC cover
- Shell color: Sand black+diffusion PC cover
- Built in isolated power supply
- 5-year warranty
- Lamp body thickness 1.0mm
- Pc cover thickness 1.2mm
- Easy to install
- Including lifting accessories

Product Description




















Specification Sheet

Model no.	Power	Suitable area	Product Size	Voltage	CCT
LLX-LED Lighting Fixture-H6018	18W	5-6 m²	60*3.5*7cm	AC220V	6000K/4000K/3000K
LLX-LED Lighting Fixture-H9027	27W	7-9 m²	90*3.5*7cm	AC220V	6000K/4000K/3000K
LLX-LED Lighting Fixture-H12036	36W	9-12 m²	120*3.5*7cm	AC220V	6000K/4000K/3000K
LLX-LED Lighting Fixture-H12036-4	36W	9-12 m²	120*4*7cm	AC220V	6000K/4000K/3000K
LLX-LED Lighting Fixture-H12036-5	36W	9-12 m²	120*5*7cm	AC220V	6000K/4000K/3000K
LLX-LED Lighting Fixture-H12045	45W	12-15 m²	120*7*7cm	AC220V	6000K/4000K/3000K
LLX-LED Lighting Fixture-H12050	50w	12-15 m²	120*10*7cm	AC220V	6000K/4000K/3000K
LLX-LED Lighting Fixture-H15045	45W	12-15 m²	150*3.5*7cm	AC220V	6000K/4000K/3000K
LLX-LED Lighting Fixture-H15045-4	45W	12-15 m²	150*4*7cm	AC220V	6000K/4000K/3000K
LLX-LED Lighting Fixture-H15045-5	45W	12-15 m²	150*5*7cm	AC220V	6000K/4000K/3000K
LLX-LED Lighting Fixture-H15056	56W	15-18 m²	150*7*7cm	AC220V	6000K/4000K/3000K
LLX-LED Lighting Fixture-H15062	62W	15-18 m²	150*10*7cm	AC220V	6000K/4000K/3000K

PACKAGING DATA

1PCS/CTN



Model no.	Product Size
LLX-LED Lighting Fixture-H6018	60*3.5*7cm
LLX-LED Lighting Fixture-H9027	90*3.5*7cm
LLX-LED Lighting Fixture-H12036	120*3.5*7cm
LLX-LED Lighting Fixture-H12036-4	120*4*7cm
LLX-LED Lighting Fixture-H12036-5	120*5*7cm
LLX-LED Lighting Fixture-H12045	120*7*7cm
LLX-LED Lighting Fixture-H12050	120*10*7cm
LLX-LED Lighting Fixture-H15045	150*3.5*7cm
LLX-LED Lighting Fixture-H15045-4	150*4*7cm
LLX-LED Lighting Fixture-H15045-5	150*5*7cm
LLX-LED Lighting Fixture-H15056	150*7*7cm
LLX-LED Lighting Fixture-H15062	150*10*7cm

Applications:

Lighting for Offices, internet cafes, restaurants,studios, shopping malls, home, supermarket, mall, school, parking lot, etc







AFTER-SALE SERVICE

LONGLUX warrants this LONGLUX-branded hardware product against defects in materials and workmanship under normal use for a period of FIVE(5) YEARS from the date of purchase.LONGLUX provides free repair or replacement within warranty period. LONGLUX shall charge against defeats byabnormal storage,usage,connect on or change the structure or any components of the product.

*Damage by thunder stroke over 4KV(L,N to FG)/4KV(L to N) will not covered by warranty based on IEC6100-4-5.

ADD:
Hangzhou Longlux Electronic Technology Co. Ltd
TEL:+8613656681084
E-mail: william@longlux.com
Http: www.longlux.com