LED Spot Light Series

LONGLUX



Fire Resistant

LED Spot Light

Features

- Osram chip, high color rendering RA≥98, deep anti-glare
- High precision optical lens emits light with good light efficiency, uniform and non irritating light output, clear spot width, and no secondary spots
- Precise aluminum material, fully aluminum integrated die-casting, faster heat dissipation, longer service life
- Three color styles are available for selection
- 3000k / 4000k / 6000k / 3000-6000k for selection



Product Description








Specification Sheet

Model No.	LLX-Spot-10	LLX-Spot-18	LLX-Spot-24	LLX-Spot-30
Power(W)	10W	18W	24W	30W
Size(MM)	80*85	100*90	120*100	150*120
CCT(K)	3000-6000	3000-6000	3000-6000	3000-6000
Ra	≥90	≥90	≥90	≥90
Voltage	≤36V	≤36V	≤36V	≤36V
LED Type	COB	COB	COB	COB
Materiai	Aluminium	Aluminium	Aluminium	Aluminium

PACKAGING DATA

1PCS/CTN



Model No.	CTN Size(CM)	Weight (G)
LLX-Spot-10	8*8*8.5	600
LLX-Spot-18	10*10*9	600
LLX-Spot-24	12*12*10	600
LLX-Spot-30	15*15*12	600

Applications:

Lighting for Supermarket, Family,Conference room,Warehouse,Office,Corridors . etc.







AFTER-SALE SERVICE

LONGLUX warrants this LONGLUX-branded hardware product against defects in materials and workmanship under normal use for a period of FIVE(5) YEARS from the date of purchase.LONGLUX provides free repair or replacement within warranty period. LONGLUX shall charge against defeats byabnormal storage,usage,connect on or change the structure or any components of the product.

*Damage by thunder stroke over 4KV(L,N to FG)/4KV(L to N) will not covered by warranty based on IEC6100-4-5.

ADD:
Hangzhou Longlux Electronic Technology Co. Ltd
TEL:+8613656681084
E-mail: william@longlux.com
Http: www.longlux.com