Triproof Lighting Fixture- Integrated Series

LONGLUX



Waterproof Light


LED Waterproof Light

LONGLUX

Features

- PC housing + flame-retardant fiberglass board
- Imported wick with high brightness, high brightness, low light decay, long life
- Lamp body integrated sealing design, IP65 class efficient waterproof and dustproof,
- IK08 resistance to impact ensures durable protection
- No video flash, protect eye health, delicate and bright light, comfortable visual experience

Product Description







Specification Sheet

Model	Watt	Lamp body size	LM/W	LED Chip	Packaging method
LLX-Triproof-112I	36W	1200*41*31mm	85LM/W	2835/192D	Blister+colored paper
LLX-Triproof-106I	18W	600*41*31mm	85LM/W	2835/96D	Blister+colored paper
LLX-Triproof-212I	36W	1200*53*35mm	85LM/W	2835/192D	Blister+colored paper
LLX-Triproof-206I	18W	600*53*35mm	85LM/W	2835/96D	Blister+colored paper
LLX-Triproof-312I	36W	1200*68*43mm	85LM/W	2835/192D	Blister+colored paper
LLX-Triproof-306I	18W	600*68*43mm	85LM/W	2835/96D	Blister+colored paper

LED Waterproof Light

LONGLUX

PACKAGING DATA



Model	Pcs/CTN	Outer Carton Size
LLX-Triproof-112I	30PCS	124*26*18cm
LLX-Triproof-106I	30PCS	64*26*18cm
LLX-Triproof-212I	30PCS	124*33*21cm
LLX-Triproof-206I	30PCS	64*33*21cm
LLX-Triproof-312I	30PCS	124*35*27cm
LLX-Triproof-306I	30PCS	64*35*27cm

Applications:

Can be used in some specific applications. Reliability and durability, High mechanical strength, Corrosion & Explosion resistant.
Saulty, acid or arrosion applications like passageway, ship, harbor, underground parking or beach projects
Industry, garages, gas station & workshops.







AFTER-SALE SERVICE

LONGLUX warrants this LONGLUX-branded hardware product against defects in materials and workmanship under normal use for a period of FIVE(5) YEARS from the date of purchase.LONGLUX provides free repair or replacement within warranty period.LONGLUX shall charge against defeats by abnormal storage,usage,connect on or change the structure or any components of the product.

*Damage by thunder stroke over 4KV(L,N to FG)/4KV(L to N) will not covered by warranty based on IEC6100-4-5.

ADD:
Hangzhou Longlux Electronic Technology Co. Ltd
TEL:+8613656681084
E-mail: william@longlux.com
Http: www.longlux.com