LONGLUX



LED Linear Highbay

LONGLUX

Features

- Linear module design, with heat dissipation holes on both sides, effectively enhances the heat dissipation performance of the lamp
- All adopt supperior stainless steel nuts
- Replace the traditional lights
- Compatible with hanging chains and ceiling installation methods
- IP65/IK08
- Suitable Locations: Wet
- 3-5 years warranty
- Optical PC lens design: 60 °/90 °.
- Material: precision aluminum




Specification

Model No.	LLX-LHB-50	LLX-LHB-100	LLX-LHB-150	LLX-LHB-200	LLX-LHB-250
Power(W)	50	100	150	200	250
Input current (A)	0.42A@ 120Vac 0.22A@230V	0.85A@ 120Vac 0.45A@230Vac	1.25A@ 120Vac 0.7A@230Vac	1.7A@ 120Vac 0.9A@230Vac	2A@ 120Vac 1.05A@230Vac
Light Efficiency(Lm/W)	140				
Input Voltage (V)	AC100-277V 50/60Hz				
Power surge protection	L-N 4KV, L/N-PE 6KV				
P.F.	> 0.95				
Total harmonic distortion	≤15%				
Beam Angle	60°/90°				
Working Temperature	-25℃ to +50℃				
IP	IP65				
IK	IK08				
CCT (K)	2700K-6500K				
CRI	≥70Ra ≥80Ra				
Light Source Type	CREE /OSRAM /LUMILEDS-SMD				

LED Linear Highbay

Product Details












Dimension





PACKAGING DATA

1PCS/CTN



Model No.	Body Size（MM）
LLX-LHB-50	353*115*144
LLX-LHB-100	620*115*144
LLX-LHB-150	887*115*144
LLX-LHB-200	1154*115*144
LLX-LHB-250	1421*115*144

Applications:

Factory, Supermarket, Warehouse, Gym, Gymnasium,Public buildings,Shopping malls,Historic Areas etc.







AFTER-SALE SERVICE

LONGLUX warrants this LONGLUX-branded hardware product against defects in materials and workmanship under normal use for a period of FIVE(5) YEARS from the date of purchase.LONGLUX provides free repair or replacement within warranty period. LONGLUX shall charge against defeats byabnormal storage,usage,connect on or change the structure or any components of the product.

*Damage by thunder stroke over 4KV(L,N to FG)/4KV(L to N) will not covered by warranty based on IEC6100-4-5.

ADD:
Hangzhou Longlux Electronic Technology Co. Ltd
TEL:+8613656681084
E-mail: william@longlux.com
Http: www.longlux.com