LED Lighting Fixture Series

LONGLUX



Fire Resistant

Product Description




Model no.	LLX-T8-2*20W-I	LLX-T8-2*30W-I	LLX-T8-2*40W-I	LLX-T8-2*60W-I
Power(W)	2*20W	2*30W	2*40W	2*60W
Voltage(V)	220-240V	220-240V	220-240V	220-240V
Current(A)	0.19A	0.29A	0.38A	0.46A
CCT(K)	2700-6500K	2700-6500K	2700-6500K	2700-6500K
Life(H)	8000H	8000H	8000H	8000H
Product Size(mm)	618*160*64	932*160*64	1228*160*64	1528*160*64

Model no.	LLX-T8-1*09W-E	LLX-T8-1*12W-E	LLX-T8-1*18W-E	LLX-T8-1*22W-E
Power(W)	1*09W	1*12W	1*18W	1*22W
Voltage(V)	85-265V	85-265V	85-265V	85-265V
Current(A)	120mA	180mA	240mA	300mA
CCT(K)	2700-6500K	2700-6500K	2700-6500K	2700-6500K
Life(H)	5000H	5000H	5000H	5000H
Product Size(mm)	618*38*28	932*38*28	1228*38*28	1528*38*28




Model no.	LLX-T5-2*14W-J	LLX-T5-2*21W-J	LLX-T5-2*28W-J	LLX-T5-2*35W-J
Power(W)	2*14W	2*21W	2*28W	2*35W
Voltage(V)	220-240V	220-240V	220-240V	220-240V
Current(A)	0.13A	0.2A	0.27A	0.33A
CCT(K)	2700-6500K	2700-6500K	2700-6500K	2700-6500K
Life(H)	8000H	8000H	8000H	8000H
Product Size(mm)	580*40*33	880*40*33	1180*40*33	1480*40*33

Model no.	LLX-T5-1*14W-E	LLX-T5-1*21W-E	LLX-T5-1*28W-E	LLX-T5-1*35W-E
Power(W)	14W	21W	28W	35W
Voltage(V)	220-240V	220-240V	220-240V	220-240V
Current(A)	0.07A	0.1A	0.13A	0.17A
CCT(K)	2700-6500K	2700-6500K	2700-6500K	2700-6500K
Life(H)	8000H	8000H	8000H	8000H
Product Size(mm)	580*40*33	880*40*33	1180*40*33	1480*40*33





Model no.	LLX-T5-2*14W-I	LLX-T5-2*21W-I	LLX-T5-2*28W-I	LLX-T5-2*35W-I
Power(W)	2*14W	2*21W	2*28W	2*35W
Voltage(V)	220-240V	220-240V	220-240V	220-240V
Current(A)	0.13A	0.2A	0.27A	0.33A
CCT(K)	2700-6500K	2700-6500K	2700-6500K	2700-6500K
Life(H)	8000H	8000H	8000H	8000H
Product Size(mm)	580*120*60	880*120*60	1180*120*60	1480*120*60

LED IP54 Bulkhead

LONGLUX

PACKAGING DATA

1PCS/CTN




Model no.	Packing Size(mm)	Qty
LLX-T8 Series	630*190*190	20/25
	940*190*190	
	1240*190*190	
	1540*190*190	
LLX-T5 Series	600*190*190	20/25
	900*190*190	
	1200*190*190	
	1500*190*190	

Applications:

Lighting for Supermarket, Family,Conference room,Warehouse,Office,Corridors . etc.







AFTER-SALE SERVICE

LONGLUX warrants this LONGLUX-branded hardware product against defects in materials and workmanship under normal use for a period of FIVE(5) YEARS from the date of purchase.LONGLUX provides free repair or replacement within warranty period. LONGLUX shall charge against defeats byabnormal storage,usage,connect on or change the structure or any components of the product.

*Damage by thunder stroke over 4KV(L,N to FG)/4KV(L to N) will not covered by warranty based on IEC6100-4-5.

ADD:
Hangzhou Longlux Electronic Technology Co. Ltd
TEL:+8613656681084
E-mail: william@longlux.com
Http: www.longlux.com