Safety King Bulb - High Power Series

LONGLUX




Safety King Bulb - High Power

Features

- Selected energy-saving LED chips, low light decay & long lifespan
- 6500K bright cool white light, natural and clear color rendering
- Intelligent IC driver, pressure resistant & durable
- Extra-thick aluminum fins, outstanding heat dissipation
- High-transmittance PC lampshade
- Uniform & Soft Light Output
- Multiple Options for Customization
- Easy Installation & Wide Compatibility

Product Description






Specification Sheet

Model	LLX-Safety King Bulb - High Power -50	LLX-Safety King Bulb - High Power -80	LLX-Safety King Bulb - High Power -100	LLX-Safety King Bulb - High Power -150
Voltage	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Power	50W	80W	100W	150W
Diameter	120mm	135mm	150mm	170mm
Applicable area	50-80㎡	80-140㎡	100-160㎡	150-300㎡
Lamp Base	E27	E27	E27	E27
Outer frame color	Silvery/Black	Silvery/Black	Silvery/Black	Silvery/Black
CCT	6500K	6500K	6500K	6500K

PACKAGING DATA


1PCS/CTN



Model	Size
LLX-Safety King Bulb - High Power -50	200*120mm
LLX-Safety King Bulb - High Power -80	230*135mm
LLX-Safety King Bulb - High Power -100	260*150mm
LLX-Safety King Bulb - High Power -150	290*170mm

Applications:

Workshop, warehouse, supermarket, market, garage, logistics center, large retail stores etc,







AFTER-SALE SERVICE

LONGLUX warrants this LONGLUX-branded hardware product against defects in materials and workmanship under normal use for a period of FIVE(5) YEARS from the date of purchase.LONGLUX provides free repair or replacement within warranty period. LONGLUX shall charge against defeats byabnormal storage,usage,connect on or change the structure or any components of the product.

*Damage by thunder stroke over 4KV(L,N to FG)/4KV(L to N) will not covered by warranty based on IEC6100-4-5.

ADD:
Hangzhou Longlux Electronic Technology Co. Ltd
TEL:+8613656681084
E-mail: william@longlux.com
Http: www.longlux.com