Street Light Series

LONGLUX





IP65

LED Street Light

Features

- Adoption exclusive light source. Compared with similar products,the luminous efficiency can rise 8% and light transmittance up to 98%.
- Fan channel thermal design, reduce lamp weight, with excellent heat dissipation, reduce light decay, prolong lamp lifetime.
- Driven by high efficiency constant current and 60% energy-saving than traditional lamps; over –current protection, over-voltage protection, lightning protection, high temperature protection, fully ensures the long life span and high stability.
- Durable,long lifetime,and last up to 50000 hours; no need to replace frequently and less daily maintenance.
- Green product,no UV or IR radiation, no mercury pollution.
- With Excellent exterior design, the lamp is waterproof and dust proof, protecting rate: IP65.
- Fast response,no flicker; wide operating voltage range.
- LEDs which packaged by multi-chips is high lumen, stable performance, low light failure and no dead lights.

Product Description












Specification Sheet

Model	LLX-ST-H100W	LLX-ST-H150W	LLX-ST-H200W	LLX-ST-H250W	LLX-ST-H300W	LLX-ST-H400W
Rated Power	100W	150W	200W	250W	300W	400W
Rated Voltage	AC220V	AC220V	AC220V	AC220V	AC220V	AC220V
IP Rating	IP65	IP65	IP65	IP65	IP65	IP65
Luminous Flux	12000LM	18000LM	24000LM	30000LM	36000LM	48000LM
LED chips	Sanan	Sanan	Sanan	Sanan	Sanan	Sanan
Driver	LONGLUX	LONGLUX	LONGLUX	LONGLUX	LONGLUX	LONGLUX
Warranty	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years

PACKAGING DATA



Model	Lamp Size
LLX-ST-H100W	515*280*70mm
LLX-ST-H150W	595*280*70mm
LLX-ST-H200W	676*280*70mm
LLX-ST-H250W	757*280*70mm
LLX-ST-H300W	837*280*70mm
LLX-ST-H400W	998*280*70mm

Applications:

Highway,urban roads and secondary roads,stadium,sidewalk, residential area,industry sites, square area,park ,school , villa and courtyard. etc.







AFTER-SALE SERVICE

LONGLUX warrants this LONGLUX-branded hardware product against defects in materials and workmanship under normal use for a period of FIVE(5) YEARS from the date of purchase.LONGLUX provides free repair or replacement within warranty period. LONGLUX shall charge against defeats byabnormal storage,usage,connect on or change the structure or any components of the product.

*Damage by thunder stroke over 4KV(L,N to FG)/4KV(L to N) will not covered by warranty based on IEC6100-4-5.

ADD:
Hangzhou Longlux Electronic Technology Co. Ltd
TEL:+8613656681084
E-mail: william@longlux.com
Http: www.longlux.com