Anti-UV LED Tube Series

LONGLUX



LED Tube

Features

- Easy to install
- Can eliminate ultraviolet light up to 500nm
- Anti-uv without blue light
- Uv protection V
- Anti-exposure
- Long lifespan
- High luminous efficiency
- Strong heat dissipation
- Low power consumption
- Customization supported


Product Description



Specification Sheet

Model No.	LLX- T8-Anti-UV-7	LLX- T8-Anti-UV-14
Power(W)	7W	14W
Voltage(V)	85-265 50/60HZ	85-265 50/60HZ
LED Chip SMD	2835	2835
LED beads	96-144	96-144
P.F.	≥0.95	≥0.95
Material	Aluminum +PC	Aluminum +PC
Warranty	3 years	3 years
CCT	2200K-7000K	2200K-7000K
Luminous flux	900-1200LM	900-1200LM
Dimension(MM)	600	1200

PACKAGING DATA



Model No.	LLX- T8-Anti-UV-7	LLX- T8-Anti-UV-14
Dimension(MM)	600	1200
PCS/CTN	25	25
CTN Meas	64*21.5*22	124*21.5*22

Applications:

Dust-free workshop, Museum, Library, Electronics factory, Gallery, Office, Home, Public buildings, Shopping malls, Historic Areas etc,





AFTER-SALE SERVICE

LONGLUX warrants this LONGLUX-branded hardware product against defects in materials and workmanship under normal use for a period of FIVE(5) YEARS from the date of purchase.LONGLUX provides free repair or replacement within warranty period. LONGLUX shall charge against defeats byabnormal storage,usage,connect on or change the structure or any components of the product.

*Damage by thunder stroke over 4KV(L,N to FG)/4KV(L to N) will not covered by warranty based on IEC6100-4-5.

ADD:
Hangzhou Longlux Electronic Technology Co. Ltd
TEL:+8613656681084
E-mail: william@longlux.com
Http: www.longlux.com